

Jackson LDR update – District 1 Amendments

The Jackson Draft Neighborhood Character Zones have been updated to replace the outdated existing Legacy Zones (Town Square (TS), Urban Commercial (UC)).

The proposed new zones include **DC-2** Downtown Core-2, **TS-1** Town Square-1, & **TS-2** Town Square-2. Most of the design standards were carried over from the Legacy Zones and **DC** Downtown Core. However, a few of the key changes include:

- There is a proposed new building frontage for **TS-1**, that is named Town Square.
- **DC** was split into **DC-1** and **DC-2** character zones, based on the DC-2 being included in the Town Center Design Overlay.
- There are not any changes in **DC-1** from the original **DC** character zone.
- **DC-2** changes include: 20' 3rd floor stepback that allows a 40% encroachment to reflect western character design traditions for properties closer to the Town Square.
- There are a few new proposed standards such as a **preservation incentive** in **TS-1** to allow a small third story element significantly set back from the street.
- There are a few measurable standards that have been adjusted in **TS-1** to better reflect western character design traditions.
- **TS-2** has very similar dimensional requirements to DC-2, except TS-2 maintains a higher FAR and limits the size of a single building to 15,000 SF (same as TS-1).
- In TS-1 and TS-2, the thresholds for development review were increased for all approvals by 5,000 SF. For example, projects 10,000 SF and less will now only require Building Permit and DRC review – previously the threshold was 5,000 SF and less.

The following pages identify the changes made to the LDR. Key amendments are shown in red underline.

Article 2. Complete Neighborhood Zones

Div. 2.1. All Complete Neighborhood Zones 2-2

2.1.1. Character Zones (7/18/18, Ord. 1197)	2-2
2.1.2. Legacy Zones (7/18/18, Ord. 1197)	2-2

Div. 2.2. Complete Neighborhood Character Zones 2-3

2.2.1. Rules Applicable to All Complete Neighborhood Character Zones (3/6/19, Ord. 1209)	2-3
2.2.2. NL-1: Neighborhood Low Density-1 (3/6/19, Ord. 1210)	2-12
2.2.3. NL-2: Neighborhood Low Density-2 (3/6/19, Ord. 1211)	2-18
2.2.4. NL-3: Neighborhood Low Density-3 (3/6/19, Ord. 1212)	2-24
2.2.5. NL-4: Neighborhood Low Density-4 (3/6/19, Ord. 1213)	2-30
2.2.6. NL-5: Neighborhood Low Density-5 (3/6/19, Ord. 1214)	2-36
2.2.7. NM-1: Neighborhood Medium Density-1 (3/6/19, Ord. 1215)	2-42
2.2.8. NM-2: Neighborhood Medium Density-2 (3/6/19, Ord. 1216)	2-48
2.2.9. NH-1: Neighborhood High Density 1 (3/6/19, Ord. 1217)	2-54
2.2.10. OR: Office Residential (3/6/19, Ord. 1222)	2-60
2.2.11. CR-3: Commercial Residential-3 (3/6/19, Ord. 1221)	2-68
2.2.12. CR-2: Commercial Residential-2 (3/6/19, Ord. 1220)	2-78
2.2.13. CR-1: Commercial Residential-1 (3/6/19, Ord. 1219)	2-86
2.2.14. DC-1: Downtown Core-1 (3/6/19, Ord. 1218)	2-94
<u>2.2.15. DC-2: Downtown Core-2</u>	<u>2-102</u>
<u>2.2.16. TS-1: Town Square-1</u>	<u>2-110</u>
<u>2.2.17. TS-2: Town Square-2</u>	<u>2-118</u>

Div. 2.3. Complete Neighborhood Legacy Zones 2-126

<u>2.3.1. [TS deleted]</u>	<u>2-126</u>
<u>2.3.2. [UC deleted]</u>	<u>2-126</u>
2.3.3. [deleted] (11/23/16, Ord. 1149)	2-126
2.3.4. [deleted] (7/18/18, Ord. 1197)	2-126
2.3.5. [deleted] (7/18/18, Ord. 1197)	2-126
2.3.6. [deleted] (7/18/18, Ord. 1197)	2-126
2.3.7. [deleted] (11/23/16, Ord. 1149)	2-126
2.3.8. [deleted] (11/23/16, Ord. 1149)	2-126
2.3.9. [deleted] (7/18/18, Ord. 1197)	2-126
2.3.10. Business Park-Town (BP-ToJ) (7/18/18, Ord. 1198)	2-127
2.3.11. [deleted] (7/18/18, Ord. 1197)	2-133
2.3.12. [deleted] (7/18/18, Ord. 1197)	2-133
2.3.13. Mobile Home Park-Town (MHP-ToJ) (7/18/18, Ord. 1198)	2-134
2.3.14. [deleted] (7/18/18, Ord. 1197)	2-138
2.3.15. [deleted] (7/18/18, Ord. 1197)	2-138
2.3.16. [deleted] (7/18/18, Ord. 1197)	2-138

Div. 2.1. All Complete Neighborhood Zones

Complete neighborhood zones are intended to enhance the locations in the community that are most appropriate for use and development into the most desirable places to live, work, and play. There are 2 types of complete neighborhood zones.

2.1.1. Character Zones (7/18/18, Ord. 1197)

Character zones, established in [Div. 2.2.](#), are character-based and established to implement the Comprehensive Plan. The character zones include:

- A. NL-1: Neighborhood Low Density-1
- B. NL-2: Neighborhood Low Density-2
- C. NL-3: Neighborhood Low Density-3
- D. NL-4: Neighborhood Low Density-4
- E. NL-5: Neighborhood Low Density -5
- F. NM-1: Neighborhood Medium Density-1
- G. NM-2: Neighborhood Medium Density-2
- H. NH-1: Neighborhood High Density-1
- I. CR-3: Commercial Residential-3
- J. CR-2: Commercial Residential-2
- K. CR-1: Commercial Residential-1
- L. OR: Office Residential
- M. DC-1: Downtown Core-1
- N. [DC-2: Downtown Core-2](#)
- O. [TS-1: Town Square-1](#)
- P. [TS-2: Town Square-2](#)

2.1.2. Legacy Zones (7/18/18, Ord. 1197)

Legacy zones, established in [Div. 2.3.](#), are carried forward from the previous LDRs, and it is the intent that they will be phased out over time as character zones are adopted and applied. The legacy zones include:

- A. [Town Square \(TS\)](#)
- B. [Urban Commercial \(UC\)](#)
- C. Business Park-Town (BP-ToJ)
- D. Mobile Home Park-Town (MHP-ToJ)


D. Building Frontages

Building frontages set standards for building facades that face streets, and are required along all primary and secondary streets. Building frontages help to ensure that buildings address each street appropriately. They play an important role in shaping the built environment and enhancing the pedestrian experience. Specific rules for each building frontage are listed below. See [Sec. 2.2.10](#) through [Sec. 2.2.17](#) to determine which options are allowed in each zone. The rules of measurement for a building frontage are in [Div. 9.4](#).

Any use allowed in the applicable zoning district is allowed in any building frontage type, provided the use meets all other zoning and building code requirements. The applicant may use multiple building frontages along the same street frontage, provided that each frontage type is allowed in the applicable zoning district.

Institutional and transportation/Infrastructure uses may be allowed to comply with the building frontages on an 'as practicable' basis with Planning Director approval.

1. Town Square



Description

In the Town Square Frontage, the main facade of the building is located at or near the public boardwalk, with at-grade entrances spaced at regular intervals. The Town Square Frontage is intended primarily for retail uses, and has glazing (windows and doors) at the sidewalk level.

Story Height Sec. 9.4.13.

<u>Ground story height (min/max)</u>	<u>11'/14'</u>	A
<u>Upper story height (min)</u>	<u>9'</u>	B
<u>Ground floor elevation (min-max)</u>	<u>0' - 3'</u>	C

Transparency Sec. 9.4.14.

<u>Ground story (min/max)</u>	<u>50%/75%</u>	D
<u>Upper story (min/max)</u>	<u>20%/30%</u>	E

Blank Wall Area Sec. 9.4.15.

<u>Blank wall area (max)</u>	<u>15'</u>	F
------------------------------	------------	---

Pedestrian Access Sec. 9.4.16.

<u>Entrance facing street (max)</u>	<u>Required</u>	G
<u>Entrance spacing along street (max)</u>	<u>50'</u>	H

2.2.15. DC-2: Downtown Core-2


A. Intent

1. General Intent. The intent of the Downtown Core-2 (DC-2) zone is to provide for a vibrant mixed-use area with a variety of uses and amenities, consisting of wide sidewalks and buildings close to the sidewalk.
2. Buildings. Buildings can be up to 3 stories in height. Massing, articulation, openings, and step backs are used to reduce bulk and mass. Buildings are located close to the sidewalk, creating an attractive street edge. Large storefront windows, display windows, and entry features invite and encourage pedestrian activity.
3. Parking. Parking is primarily provided off-site on public lots and on-street. Parking provided on-site is underground or screened from view by buildings.
4. Land Use. Active and engaging uses are encouraged on ground floors but not required, with offices, apartments, single-family attached, and lodging primarily located on upper stories.
5. Comprehensive Plan. Based primarily on sub area 2.3 of the Comprehensive Plan.

B. Physical Development


Standards applicable to physical development are provided in this Section. Where a cross-reference is listed, see the referenced division or section for additional standards. Standards in [Article 5](#) apply unless stated otherwise.

1. Lot Standards




Building Setbacks		(Sec. 9.4.8.)
Primary street setback range (min-max)	0' - 5'	A
Secondary street setback range (min-max)	0' - 5'	B
Side interior (min)	0' or 5'	C
Rear (min)	0' or 5'	D
Abutting protected zone (min)	10'	
Landscaping		(Div. 5.5.)
Landscape surface ratio (min)	n/a	
Plant units (min)	n/a	
Fencing		
Height in any street or side yard (max)	4'	
Height in rear yard (max)	6'	
Setback from pedestrian frontage (min)	1'	
Setback from side or rear lot line (min)	0'	
Parking Setbacks		(Sec. 9.4.8.)
Primary street, above ground (min)	30'	
Secondary street, surface parking (min)	30'	
Secondary street, tuck-under, enclosed, or structured parking screened by bldg. (min)	0'	
Access		
Curb cut width (max)	24'	

2. Bulk Standards



3. Form Standards



Street Facade (Sec. 9.4.11.)

Width of ground and 2nd story in primary street setback range

A

% of lot width (min) 80%

Length from street corner (min) 30'

Width of ground and 2nd story in secondary street setback range

B

% of lot width (min) 80%

Length from street corner (min) 30'

Building Height (Sec. 9.4.9.)

Height (max) if roof pitch $\geq 5/12$ 46'

C

Height (max) if roof pitch $< 5/12$ 42'

C

Stories (max) 3

C

Height (min) in any street setback range 16'

D

Building Stepback (Sec. 9.4.12.)

Stepback for any 3rd story street facade or street facade over 30' (min) 20'

E

Encroachment in stepback (max % of overall facade width) 40%

F

A building with only residential use that has at least 4 units is exempt from the stepback requirement

Scale of Development

Floor area ratio (FAR) (max) (E.3.) 1.3

Deed restricted housing exemption (Sec. 7.8.3.)

Workforce housing floor area bonus (Sec. 7.8.4.)

Design Guidelines (Div. 5.8.)

These requirements apply to all development, except where exempted by Planning Director for additions of 20% or less that are consistent with existing architecture.

Pedestrian Frontage

Planning Director will establish one of the following as the pedestrian frontage

Covered walkway see Sec. 2.2.1.C.1

Trees in grates see Sec. 2.2.1.C.2

Building Frontage Options

Shopfront see Sec. 2.2.1.D.2

Residential see Sec. 2.2.1.D.4

Lodging see Sec. 2.2.1.D.5

Parking Type Options

On-street parking see Sec. 2.2.1.E.1

Surface parking see Sec. 2.2.1.E.2

Tuck-Under Parking see Sec. 2.2.1.E.4

Enclosed parking see Sec. 2.2.1.E.3

Structured parking see Sec. 2.2.1.E.5

Underground parking see Sec. 2.2.1.E.6

4. Environmental Standards		7. Signs (nonresidential) (Div. 5.6.)					
Natural Resource Setback (min)	(Sec. 5.1.1.)	Number of signs (max)	3 per business per				
Cache Creek south of Cache Creek Dr.	20'	Background color	No white or yellow				
Flat Creek north of Hansen Ave.	25'	Sign Area					
Flat Creek south of Hansen Ave.	50'	Total sign area (max)	3 sf per linear ft of street facade width up to 150 sf				
Wetland	30'	Penalty	10% per projecting and freestanding sign				
Irrigation Ditch Setback (min)	(Sec. 7.7.4.D.)	Sign Type Standards					
Irrigation Ditch	15'	Canopy sign					
Natural Resource Overlay (NRO)	(Sec. 5.2.1.)	Clearance (min)	7'6" from average grade				
5. Scenic Standards		Setback (min)	18" from back of curb				
Exterior Lighting	(Sec. 5.3.1.)	Freestanding sign					
Light trespass is prohibited.		Height (max)	6'				
All lights over 600 lumens shall be fully shielded.		Setback (min)	5'				
Max lumens per sf of site development	3	Projecting sign					
Lumens per site (max)		Height (max)	24' above grade				
All fixtures	100,000	Clearance (min)	7'6" from average grade				
Unshielded fixtures	5,500	Setback (min)	18" from back of curb				
Light Color	≤3000 Kelvin	Window sign					
Scenic Resource Overlay (SRO)	(Sec. 5.3.2.)	Window surface coverage (max)	25% up to 16 sf				
6. Natural Hazards to Avoid		Temporary signs	(Sec. 5.6.1.)				
Steep Slopes	(Sec. 5.4.1.)	8. Grading, Erosion Control, Stormwater					
Development prohibited	Slopes > 25%	Grading	(Sec. 5.7.2.)				
Hillside CUP required	Parcel with average cross-slope ≥ 10%	Erosion Control	(Sec. 5.7.3.)				
Areas of Unstable Soils	(Sec. 5.4.2.)	Erosion shall be controlled at all times					
Fault Area	(Sec. 5.4.3.)	Stormwater Management					
Floodplains	(Sec. 5.4.4.)	No increase in peak flow rate or velocity across property lines					
Wildland Urban Interface	(Sec. 5.4.5.)						
9. Physical Development Permits Required							
Physical Development	Sketch Plan (Sec. 8.3.1.)	Development Plan (Sec. 8.3.2.)	Building Permit (Sec. 8.3.3.)	DRC Review (Sec. 8.2.6.)	Sign Permit (Sec. 8.3.5.)	Grading Permit (Sec. 8.3.4.)	Floodplain Permit
Floor Area							
< 19,500 sf			X	X		Sec. 5.7.1.	Sec. 5.4.4.
19-500 - 39,000 sf		X	X	X		Sec. 5.7.1.	Sec. 5.4.4.
> 39,000 sf	X	X	X	X		Sec. 5.7.1.	Sec. 5.4.4.
> 39,000 sf for only residential use	optional	X	X	X		Sec. 5.7.1.	Sec. 5.4.4.
Sign					X	Sec. 5.7.1.	Sec. 5.4.4.

C. Allowed Uses and Use Standards

Standards applicable to use are provided below. Where a cross-reference is listed see the referenced division or section for additional standards. Allowed uses are listed in subsection 1. Uses that are not listed are prohibited unless a similar use determination is made pursuant to Sec. 6.1.2.C. All standards in Article 6. are applicable unless stated otherwise.

1. Allowed Uses			2. Use Requirements		
Use	Permit	Individual Use (max)	Density (max)	Parking (min) (Div. 6.2.) (E.1.)	Affordable Workforce Housing Units (min) (Div. 6.3.)
Residential Uses					
Attached Single-Family Unit (6.1.4.B.)	B	8,000 sf habitable excluding basement	n/a	1/DU if < 2 bedrooms and < 500 sf; otherwise, 1.5/DU	0.000017*sf + (Exp(-14.17 + 1.59*Ln(sf)))/2.176
Apartment (6.1.4.D.)	B	n/a	n/a	0.251/bed	exempt
Dormitory (6.1.4.F.)	C	n/a	n/a	0.5/bed	exempt
Group Home (6.1.4.G.)	C	n/a	n/a		
Lodging					
Conventional Lodging (6.1.5.B.)	B (LO)	n/a	n/a	0.75/room	0.204*bedrooms
Short-term Rental Unit (6.1.5.C.)	B (LO)	n/a	n/a	1/DU if < 2 bedrooms and < 500 sf; otherwise, 1.5/DU	0.204*bedrooms
Commercial Uses					
Office (6.1.6.B.)	B	n/a	n/a	1.65/1,000 sf	0.000493*sf
Retail (6.1.6.C.)	B	12,500 sf	n/a	2.25/1,000 sf	0.000431*sf
Service (6.1.6.D.)	B	excluding basement	n/a	1.5/1,000 sf	0.000431*sf
Restaurant/Bar (6.1.6.E.)	B	storage	n/a	1/110 sf dining area + 1/60 sf bar area	0.001197*sf
Amusement/Recreation					
Amusement (6.1.7.B.)	B	n/a	n/a	1/60 sf seating area or independent calculation	0.000431*sf
Developed Recreation (6.1.7.D.)	B	n/a	n/a	3.37/1,000 sf	independent calculation
Outfitter/Tour Operator (6.1.7.E.)	C	n/a	n/a	independent calculation	independent calculation
Institutional Uses					
Assembly (6.1.8.B.)	C	n/a	n/a	independent calculation	independent calculation
Day Care/Education (6.1.8.C.)	B	n/a	n/a	independent calculation	independent calculation
Transportation/Infrastructure					
Parking (6.1.10.B.)	C	n/a	n/a	n/a	0.000246*sf

Y = Use allowed, no use permit required B = Basic Use Permit (Sec. 8.4.1.) C = Conditional Use Permit (Sec. 8.4.2.)
(LO) = Lodging Overlay Only

1. Allowed Uses				2. Use Requirements	
Use	Permit	Individual Use (max)	Density (max)	Parking (min) (Div. 6.2.) (E.1.)	Affordable Workforce Housing Units (min) (Div. 6.3.)
Utility Facility (6.1.10.C.)	C	n/a	n/a	0.5/employee + 0.5/stored vehicle	0.000246*sf
Wireless Communications Facilities (6.1.10.D.)				0.5/employee + 0.5/stored vehicle	0.000246*sf
Minor	B	n/a	n/a		
Accessory Uses					
Accessory Residential Unit (6.1.11.B.)	B	n/a	n/a	1/DU	exempt
Home Occupation (6.1.11.D.)	B	n/a	n/a	n/a	exempt
Family Home Daycare (6.1.11.F.)	B	n/a	n/a	0.5/employee + 0.5 off-street pick-up/drop-off	exempt
Temporary Uses					
Christmas Tree Sales (6.1.12.B.)	Y	n/a	n/a	0.5/1,000 sf outdoor display area + 0.5/employee	exempt
Farm Stand (6.1.12.E.)	B	n/a	n/a	2.5/1,000 sf display area	exempt

Y = Use allowed, no use permit required B = Basic Use Permit (Sec. 8.4.1.) C = Conditional Use Permit (Sec. 8.4.2.)
(LO) = Lodging Overlay Only

3. Operational Standards	
Outdoor Storage	(Sec. 6.4.1.)
Outdoor Storage	Prohibited
Freestanding storage units (trailers, sheds, "Bully Barns", tarpaulin structures, etc.) not made a permanent part of a structure	Prohibited
Refuse and Recycling	(Sec. 6.4.2.)
Trash & recycling enclosure	Required
Noise	(Sec. 6.4.3.)
Sound level at property line (max)	65 DBA
Vibration	(Sec. 6.4.4.)
Electrical Disturbances	(Sec. 6.4.5.)
Fire and Explosive Hazards	(Sec. 6.4.6.)

D. Development Options and Subdivision

Standards applicable to development options and subdivision are provided below. Where a cross-reference is provided see the referenced division or section for additional standards. All standards in [Article 7](#) are applicable unless stated otherwise.

1. Allowed Subdivision and Development Options					
Option	Lot Size (min)	Standards			
Allowed Subdivision Options					
Land Division	5,000 sf	Sec. 7.2.3.			
Townhouse Condominium Subdivision	n/a	Sec. 7.2.4.			
2. Residential Subdivision Requirements					
Schools and Parks Exaction					
Schools exaction	.020 acres per 1- or 2-family unit .015 acres per multi-family unit				
Parks exaction	9 acres per 1,000 resident				
3. Infrastructure					
Transportation Facilities			(Div. 7.6.)		
Access		required			
Right-of-way for Minor Local Road (min)	60'				
Paved travel way for Minor Local Road (min)	20'				
Required Utilities					
Water		public			
Sewer		public			
4. Required Subdivision and Development Option Permits					
Option	Sketch Plan (Sec. 8.3.1.)	Development Plan (Sec. 8.3.2.)	Development Option Plan (Sec. 8.5.2.)	Subdivision Plat (Sec. 8.5.3.)	
Land Division					
≤ 10 Lots		X		X	
> 10 Lots	X	X		X	
Condominium/Townhouse				X	

E. Additional Zone-Specific Standards

1. Provision of Nonresidential, Nonlodging Parking

- a. **Applicability.** The following options for providing required parking shall apply to allowed uses except:
 - i. Residential Uses ([Sec. 6.1.4.](#));
 - ii. Lodging Uses ([Sec. 6.1.5.](#)); and
 - iii. Accessory Residential Unit ([Sec. 6.1.11.](#)).
- b. **Existing Parking Credits.** For properties with established parking credits per the Town Parking Credit Table (on reference with the Planning Department), the landowner may use such credits toward required parking. Credits are based on the amount of parking provided in 1988, as determined in 2005. Parking credits run with the land and are not transferable.
- c. **On-street Parking.** Required parking may be provided on-street provided the following standards are met.
 - i. An on-street parking space shall have the following length of uninterrupted curb adjoining to the lot of record of the use.

Uninterrupted Curb per On-street Parking Space	
Parking Space Angle	Uninterrupted Curb
Parallel	22'
45°/60°	18'
90°	9'

- ii. On-street parking shall not be provided along a red curb or other no-parking area put in place by the Town or WYDOT.
- iii. The on-street parking shall follow the established configuration of existing on-street parking.
- iv. On-street parking spaces shall be available for general public use at all times. No signs or actions limiting general public use of on-street spaces shall be permitted.
- d. **Fee-In-Lieu.** Required parking may be provided off-site through the Town's in-lieu fee program pursuant to the following standards.
 - i. **Fee.** The fee shall be a one-time fee commensurate with the cost of providing off-street parking and shall be used exclusively for such purpose. The Town Clerk shall accept fees in accordance with the parking fee schedule set forth by Resolution.
 - ii. **Assignment of Credits.** Parking credits purchased by fee-in-lieu run with the land and are not transferable.
 - iii. **Banking of Fee-in-Lieu Spaces.** Fee-in-lieu spaces may be purchased in advance and "banked" for future use.

2. **Loading Requirement.** Sufficient off-street loading facilities must be provided. The requirements of Sec. 6.2.2.E. are not applicable. The applicant must address how their specific loading needs are being met in the proposed application.
3. **Existing Floor Area Allowed.** Where the existing floor area on a site exceeds the allowed floor area ratio (FAR), the maximum allowed floor area shall be the lawfully existing floor area. The burden of establishing the amount of lawfully existing floor area shall be the responsibility of the landowner.

2.2.16. TS-1: Town Square-1


A. Intent

1. General Intent. The intent of the Town Square 1 (TC-1) zone is to preserve the western character of the Jackson Town Square and promote a pedestrian-oriented environment to support a vital downtown retail and visitor experience.
2. Buildings. New buildings can be up to 2 stories in height. Designated historic buildings may be allowed a partial 3rd story. Buildings are located close to the sidewalk and incorporate a covered boardwalk, creating an attractive street edge.
3. Parking. Parking is provided off-site on public lots and on-street. Little or no parking is provided on-site.
4. Land Use. Active and engaging uses are encouraged on ground floors, with a variety of commercial uses located on upper stories. Residential, as a principal use, is not allowed.
5. Comprehensive Plan. Based primarily on sub area 1.1 and 1.2 of the Comprehensive Plan.

B. Physical Development


Standards applicable to physical development are provided in this Section. Where a cross-reference is listed, see the referenced division or section for additional standards. Standards in [Article 5](#) apply unless stated otherwise.

1. Lot Standards




Building Setbacks		(Sec. 9.4.8.)
Street setback range (min-max)	0'	A
Side interior (min)	0' or 5'	B
Rear (min)	0' or 5'	C
Abutting protected zone (min)	n/a	
Landscaping		(Div. 5.5.)
Landscape surface ratio (min)	n/a	
Plant units (min)	n/a	
Fencing		
Height in any street or side yard (max)	Not allowed	
Height in rear yard (max)	6'	
Setback from pedestrian frontage (min)	Not allowed	
Setback from side or rear lot line (min)	0'	
Parking Setbacks		(Sec. 9.4.8.)
Street, surface parking (min)	30'	
Access		
Curb cut width (max)	Not allowed	

2. Bulk Standards



3. Form Standards



Street Facade (Sec. 9.4.11.)

Width of ground story in street setback range

A

% of lot width (min) 90%

Building Height (Sec. 9.4.9.)

Height (max) 35'

B

Stories (max) 2

B

Height (min) in street setback range 20'

C

Partial 3rd Story (Preservation Bonus) (Sec. 9.4.12.)

Height (max) 40'

D

Stories (max) 3 (partial)

D

Stepback for 3rd story street facade (min) Greater of 40' or 50% of building depth

E

Encroachment in stepback (max % of overall facade width) 0%

Scale of Development

Floor area ratio (FAR) (max) (E.3.) 1.83

Deed restricted housing exemption (Sec. 7.8.3.)

Single building size (max) 15,000 SF

Design Guidelines (Div. 5.8.)

These requirements apply to all development, except where exempted by Planning Director for additions of 20% or less that are consistent with existing architecture.

Pedestrian Frontage

Covered walkway see [Sec. 2.2.1.C.1](#)

Building Frontage Options

Town Square see [Sec. 2.2.1.D.1](#)

Parking Type Options

On-street parking see [Sec. 2.2.1.E.1](#)

Surface parking see [Sec. 2.2.1.E.2](#)

Tuck-Under Parking see [Sec. 2.2.1.E.4](#)

Enclosed parking see [Sec. 2.2.1.E.3](#)

Structured parking see [Sec. 2.2.1.E.5](#)

Underground parking see [Sec. 2.2.1.E.6](#)

4. Environmental Standards	
Natural Resource Setback (min)	(Sec. 5.1.1.)
Cache Creek south of Cache Creek Dr.	20'
Flat Creek north of Hansen Ave.	25'
Flat Creek south of Hansen Ave.	50'
Wetland	30'
Irrigation Ditch Setback (min)	(Sec. 7.7.4.D.)
Irrigation Ditch	15'
Natural Resource Overlay (NRO)	(Sec. 5.2.1.)
5. Scenic Standards	
Exterior Lighting	(Sec. 5.3.1.)
Light trespass is prohibited.	
All lights over 600 lumens shall be fully shielded.	
Max lumens per sf of site development	3
Lumens per site (max)	
All fixtures	100,000
Unshielded fixtures	5,500
Light Color	≤3000 Kelvin
Scenic Resource Overlay (SRO)	(Sec. 5.3.2.)
6. Natural Hazards to Avoid	
Steep Slopes	(Sec. 5.4.1.)
Development prohibited	Slopes > 25%
Hillside CUP required	Parcel with average cross-slope ≥ 10%
Areas of Unstable Soils	(Sec. 5.4.2.)
Fault Area	(Sec. 5.4.3.)
Floodplains	(Sec. 5.4.4.)
Wildland Urban Interface	(Sec. 5.4.5.)

7. Signs (nonresidential) (Div. 5.6.)	
Number of signs (max)	2 per business per frontage
Background color	No white or yellow
Sign Area	
Total sign area (max)	2.5 sf per ft of street facade width up to 125 sf
Penalty	10% per projecting and freestanding sign
Sign Type Standards	
Canopy sign	
Clearance (min)	7'6" from average grade
Setback (min)	18" from back of curb
Freestanding sign	
Height (max)	6'
Setback (min)	5'
Projecting sign	
Height (max)	24' above grade
Clearance (min)	7'6" from average grade
Setback (min)	18" from back of curb
Window sign	
Window surface coverage (max)	25% up to 16 sf
Temporary signs	(Sec. 5.6.1.)
8. Grading, Erosion Control, Stormwater	
Grading	(Sec. 5.7.2.)
Erosion Control	(Sec. 5.7.3.)
Erosion shall be controlled at all times	
Stormwater Management	(Sec. 5.7.4.)
No increase in peak flow rate or velocity across property lines	

9. Physical Development Permits Required							
Physical Development	Sketch Plan (Sec. 8.3.1.)	Development Plan (Sec. 8.3.2.)	Building Permit (Sec. 8.3.3.)	DRC Review (Sec. 8.2.6.)	Sign Permit (Sec. 8.3.5.)	Grading Permit (Sec. 8.3.4.)	Floodplain Permit
Nonresidential Floor Area							
≤ 10,000 sf			X	X		<u>Sec. 5.7.1.</u>	<u>Sec. 5.4.4.</u>
10,001 - 20,000 sf		X	X	X		<u>Sec. 5.7.1.</u>	<u>Sec. 5.4.4.</u>
> 20,000 sf	X	X	X	X		<u>Sec. 5.7.1.</u>	<u>Sec. 5.4.4.</u>
Sign					X	<u>Sec. 5.7.1.</u>	<u>Sec. 5.4.4.</u>

C. Allowed Uses and Use Standards

Standards applicable to use are provided below. Where a cross-reference is listed see the referenced division or section for additional standards. Allowed uses are listed in subsection 1. Uses that are not listed are prohibited unless a similar use determination is made pursuant to Sec. 6.1.2.C. All standards in Article 6. are applicable unless stated otherwise.

1. Allowed Uses				2. Use Requirements	
Use	Permit	Individual Use (max)	Density (max)	Parking (min) (Div. 6.2.) (E.1.)	Affordable Workforce Housing Units (min) (Div. 6.3.)
Lodging					
Conventional Lodging (6.1.5.B.)	E(LO)	n/a	n/a	0.75/LU + 1 per 150 sf assembly area	0.204*bedrooms
Short-term Rental Unit (6.1.5.C.)	E(LO)	n/a	n/a	1.5/1,000 sf, max 2	0.204*bedrooms
Commercial Uses					
Office (6.1.6.B.)	B	n/a	n/a	1.65/1,000 sf	0.000493*sf
Retail (6.1.6.C.)	B	12,500 sf	n/a	2.25/1,000 sf	0.000431*sf
Service (6.1.6.D.)	B	excluding basement	n/a	1.5/1,000 sf	0.000431*sf
Restaurant/Bar (6.1.6.E.)	B	storage	n/a	1/110 sf dining area + 1/60 sf bar area	0.001197*sf
Amusement/Recreation					
Amusement (6.1.7.B.)	C	n/a	n/a	1/60 sf seating area or independent calculation	0.000431*sf
Transportation/Infrastructure					
Wireless Communications Facilities (6.1.10.D.)				0.5/employee + 0.5/stored vehicle	0.000246*sf
Minor	B	n/a	n/a		
Accessory Uses					
Accessory Residential Unit (6.1.11.B.)	B	n/a	n/a	1.25/DU	exempt
Home Occupation (6.1.11.D.)	B	n/a	n/a	n/a	exempt

Y = Use allowed, no use permit required B = Basic Use Permit (Sec. 8.4.1.) C = Conditional Use Permit (Sec. 8.4.2.)
(LO) = Lodging Overlay Only

3. Operational Standards	
Outdoor Storage	(Sec. 6.4.1.)
Outdoor Storage	Prohibited
Freestanding storage units (trailers, sheds, "Bully Barns", tarpaulin structures, etc.) not made a permanent part of a structure	Prohibited
Refuse and Recycling	(Sec. 6.4.2.)
Trash & recycling enclosure	> 4 DUs and all nonresidential
Noise	(Sec. 6.4.3.)
Sound level at property line (max)	65 DBA
Vibration	(Sec. 6.4.4.)
Electrical Disturbances	(Sec. 6.4.5.)
Fire and Explosive Hazards	(Sec. 6.4.6.)

D. Development Options and Subdivision

Standards applicable to development options and subdivision are provided below. Where a cross-reference is provided see the referenced division or section for additional standards. All standards in [Article 7](#) are applicable unless stated otherwise.

1. Allowed Subdivision and Development Options					
Option	Lot Size (min)	Standards			
Allowed Subdivision Options					
Land Division	5,000 sf	Sec. 7.2.3.			
Townhouse Condominium Subdivision	n/a	Sec. 7.2.4.			
2. Residential Subdivision Requirements					
Schools and Parks Exaction					
Schools exaction	.020 acres per 1- or 2-family unit .015 acres per multi-family unit				
Parks exaction	9 acres per 1,000 resident				
3. Infrastructure					
Transportation Facilities (Div. 7.6.)					
Access	required				
Right-of-way for Minor Local Road (min)	60'				
Paved travel way for Minor Local Road (min)	20'				
Required Utilities (Div. 7.7.)					
Water	public				
Sewer	public				
4. Required Subdivision and Development Option Permits					
Option	Sketch Plan (Sec. 8.3.1.)	Development Plan (Sec. 8.3.2.)	Development Option Plan (Sec. 8.5.2.)	Subdivision Plat (Sec. 8.5.3.)	
Land Division					
≤ 10 Lots		X		X	
> 10 Lots	X	X		X	
Condominium/Townhouse				X	

E. Additional Zone-Specific Standards

1. Provision of Nonresidential, Nonlodging Parking

- a. **Applicability.** The following options for providing required parking shall apply to allowed uses except:
 - i. Accessory Residential Unit ([Sec. 6.1.11.](#)).
- b. **Existing Parking Credits.** For properties with established parking credits per the Town Parking Credit Table (on reference with the Planning Department), the landowner may use such credits toward required parking. Credits are based on the amount of parking provided in 1988, as determined in 2005. Parking credits run with the land and are not transferable.
- c. **On-street Parking.** Required parking may be provided on-street provided the following standards are met.
 - i. An on-street parking space shall have the following length of uninterrupted curb adjoining to the lot of record of the use.

Uninterrupted Curb per On-street Parking Space	
Parking Space Angle	Uninterrupted Curb
Parallel	22'
45°/60°	18'
90°	9'

- ii. On-street parking shall not be provided along a red curb or other no-parking area put in place by the Town or WYDOT.
- iii. The on-street parking shall follow the established configuration of existing on-street parking.
- iv. On-street parking spaces shall be available for general public use at all times. No signs or actions limiting general public use of on-street spaces shall be permitted.
- d. **Fee-In-Lieu.** Required parking may be provided off-site through the Town's in-lieu fee program pursuant to the following standards.
 - i. **Fee.** The fee shall be a one-time fee commensurate with the cost of providing off-street parking and shall be used exclusively for such purpose. The Town Clerk shall accept fees in accordance with the parking fee schedule set forth by Resolution.
 - ii. **Assignment of Credits.** Parking credits purchased by fee-in-lieu run with the land and are not transferable.
 - iii. **Banking of Fee-in-Lieu Spaces.** Fee-in-lieu spaces may be purchased in advance and "banked" for future use.

2. **Loading Requirement.** Sufficient off-street loading facilities must be provided. The requirements of Sec. 6.2.2.E. are not applicable. The applicant must address how their specific loading needs are being met in the proposed application.
3. **Existing Floor Area Allowed.** Where the existing floor area on a site exceeds the allowed floor area ratio (FAR), the maximum allowed floor area shall be the lawfully existing floor area. The burden of establishing the amount of lawfully existing floor area shall be the responsibility of the landowner.

2.2.17. TS-2: Town Square-2


A. Intent

1. General Intent. The intent of the Town Square 2 (TC-2) zone is to provide for a vibrant mixed-use area with a variety of uses and amenities, consisting of wide sidewalks and buildings close to the sidewalk.
2. Buildings. Buildings can be up to 3 stories in height. Massing, articulation, openings, and step backs are used to reduce bulk and mass. Buildings are located close to the sidewalk, creating an attractive street edge. Large storefront windows, display windows, and entry features invite and encourage pedestrian activity.
3. Parking. Parking is primarily provided off-site on public lots and on-street. Parking provided on-site is underground or screened from view by buildings.
4. Land Use. Active and engaging uses are encouraged on ground floors but not required, with offices and lodging primarily located on upper stories. Residential, as a principal use, is not allowed.
5. Comprehensive Plan. Based primarily on sub area 1.1 and 1.2 of the Comprehensive Plan.

B. Physical Development


Standards applicable to physical development are provided in this Section. Where a cross-reference is listed, see the referenced division or section for additional standards. Standards in [Article 5](#) apply unless stated otherwise.

1. Lot Standards




Building Setbacks		(Sec. 9.4.8.)
Primary street setback range (min-max)	0' - 5'	A
Secondary street setback range (min-max)	0' - 5'	B
Side interior (min)	0' or 5'	C
Rear (min)	0' or 5'	D
Abutting protected zone (min)	10'	
Landscaping		(Div. 5.5.)
Landscape surface ratio (min)	n/a	
Plant units (min)	n/a	
Fencing		
Height in any street or side yard (max)	Not allowed	
Height in rear yard (max)	6'	
Setback from pedestrian frontage (min)	Not allowed	
Setback from side or rear lot line (min)	0'	
Parking Setbacks		(Sec. 9.4.8.)
Primary street, above ground (min)	30'	
Secondary street, surface parking (min)	30'	
Secondary street, tuck-under, enclosed, or structured parking screened by bldg. (min)	0'	
Access		
<u>Curb cut width (max)</u>	<u>Not allowed</u>	

2. Bulk Standards



3. Form Standards



Street Facade (Sec. 9.4.11.)

Width of ground and 2nd story in primary street setback range

A

% of lot width (min) 80%

Width of ground and 2nd story in secondary street setback range

B

% of lot width (min) 80%

Building Height (Sec. 9.4.9.)

Height (max) if roof pitch \geq 5/12

C

46'

Height (max) if roof pitch $<$ 5/12

C

42'

Stories (max)

C

3

Height (min) in any street setback range

D

16'

Building Stepback (Sec. 9.4.12.)

Stepback for any 3rd story street facade (min)

E

40'

Encroachment in stepback (max % of overall facade width)

F

40%

A building with only residential use that has at least 4 units is exempt from the stepback requirement

Scale of Development

Floor area ratio (FAR) (max) (E.3.) 1.83

Deed restricted housing exemption (Sec. 7.8.3.)

Workforce housing floor area bonus (Sec. 7.8.4.)

Single building size (max) 15,000 SF

Design Guidelines (Div. 5.8.)

These requirements apply to all development, except where exempted by Planning Director for additions of 20% or less that are consistent with existing architecture.

Pedestrian Frontage

Planning Director will establish one of the following as the pedestrian frontage

Covered walkway see Sec. 2.2.1.C.1

Trees in grates see Sec. 2.2.1.C.2

Building Frontage Options

Town Square see Sec. 2.2.1.D.1

Shopfront see Sec. 2.2.1.D.2

Lodging see Sec. 2.2.1.D.5

Parking Type Options

On-street parking see Sec. 2.2.1.E.1

Surface parking see Sec. 2.2.1.E.2

Tuck-Under Parking see Sec. 2.2.1.E.4

Enclosed parking see Sec. 2.2.1.E.3

Structured parking see Sec. 2.2.1.E.5

Underground parking see Sec. 2.2.1.E.6

4. Environmental Standards	
Natural Resource Setback (min)	(Sec. 5.1.1.)
Cache Creek south of Cache Creek Dr.	20'
Flat Creek north of Hansen Ave.	25'
Flat Creek south of Hansen Ave.	50'
Wetland	30'
Irrigation Ditch Setback (min)	(Sec. 7.7.4.D.)
Irrigation Ditch	15'
Natural Resource Overlay (NRO)	(Sec. 5.2.1.)
5. Scenic Standards	
Exterior Lighting	(Sec. 5.3.1.)
Light trespass is prohibited.	
All lights over 600 lumens shall be fully shielded.	
Max lumens per sf of site development	3
Lumens per site (max)	
All fixtures	100,000
Unshielded fixtures	5,500
Light Color	≤3000 Kelvin
Scenic Resource Overlay (SRO)	(Sec. 5.3.2.)
6. Natural Hazards to Avoid	
Steep Slopes	(Sec. 5.4.1.)
Development prohibited	Slopes > 25%
Hillside CUP required	Parcel with average cross-slope ≥ 10%
Areas of Unstable Soils	(Sec. 5.4.2.)
Fault Area	(Sec. 5.4.3.)
Floodplains	(Sec. 5.4.4.)
Wildland Urban Interface	(Sec. 5.4.5.)

9. Physical Development Permits Required

Physical Development	Sketch Plan (Sec. 8.3.1.)	Development Plan (Sec. 8.3.2.)	Building Permit (Sec. 8.3.3.)	DRC Review (Sec. 8.2.6.)	Sign Permit (Sec. 8.3.5.)	Grading Permit (Sec. 8.3.4.)	Floodplain Permit
Nonresidential Floor Area							
≤ 10,000 sf			X	X		Sec. 5.7.1.	Sec. 5.4.4.
10,001 - 20,000 sf		X	X	X		Sec. 5.7.1.	Sec. 5.4.4.
> 20,000 sf	X	X	X	X		Sec. 5.7.1.	Sec. 5.4.4.
Sign					X	Sec. 5.7.1.	Sec. 5.4.4.

C. Allowed Uses and Use Standards

Standards applicable to use are provided below. Where a cross-reference is listed see the referenced division or section for additional standards. Allowed uses are listed in subsection 1. Uses that are not listed are prohibited unless a similar

1. Allowed Uses				2. Use Requirements	
Use	Permit	Individual Use (max)	Density (max)	Parking (min) (Div. 6.2.) (E.1.)	Affordable Workforce Housing Units (min) (Div. 6.3.)
Lodging					
Conventional Lodging (6.1.5.B.)	B (LO)	<u>45,000 SF habitable</u>	n/a	0.75/room	0.204*bedrooms
Short-term Rental Unit (6.1.5.C.)	B (LO)	n/a	n/a	1/DU if < 2 bedrooms and < 500 sf; otherwise, 1.5/DU	0.204*bedrooms
Commercial Uses					
Office (6.1.6.B.)	B	n/a	n/a	1.65/1,000 sf	0.000493*sf
Retail (6.1.6.C.)	B	12,500 sf	n/a	2.25/1,000 sf	0.000431*sf
Service (6.1.6.D.)	B	excluding basement storage	n/a	1.5/1,000 sf	0.000431*sf
Restaurant/Bar (6.1.6.E.)	B		n/a	1/110 sf dining area + 1/60 sf bar area	0.001197*sf
Amusement/Recreation					
Amusement (6.1.7.B.)	B	n/a	n/a	1/60 sf seating area or independent calculation	0.000431*sf
Institutional Uses					
Assembly (6.1.8.B.)	C	n/a	n/a	independent calculation	independent calculation
Transportation/Infrastructure					
Wireless Communications Facilities (6.1.10.D.)				0.5/employee + 0.5/stored vehicle	0.000246*sf
Minor	B	n/a	n/a		
Accessory Uses					
Accessory Residential Unit (6.1.11.B.)	B	n/a	n/a	1/DU	exempt
Home Occupation (6.1.11.D.)	B	n/a	n/a	n/a	exempt

Y = Use allowed, no use permit required B = Basic Use Permit ([Sec. 8.4.1.](#)) C = Conditional Use Permit ([Sec. 8.4.2.](#))
(LO) = Lodging Overlay Only

3. Operational Standards	
Outdoor Storage	(Sec. 6.4.1.)
Outdoor Storage	Prohibited
Freestanding storage units (trailers, sheds, "Bully Barns", tarpaulin structures, etc.) not made a permanent part of a structure	Prohibited
Refuse and Recycling	(Sec. 6.4.2.)
Trash & recycling enclosure	> 4 DUs and all nonresidential
Noise	(Sec. 6.4.3.)
Sound level at property line (max)	65 DBA
Vibration	(Sec. 6.4.4.)
Electrical Disturbances	(Sec. 6.4.5.)
Fire and Explosive Hazards	(Sec. 6.4.6.)

D. Development Options and Subdivision

Standards applicable to development options and subdivision are provided below. Where a cross-reference is provided see the referenced division or section for additional standards. All standards in [Article 7](#) are applicable unless stated otherwise.

1. Allowed Subdivision and Development Options					
Option	Lot Size (min)	Standards			
Allowed Subdivision Options					
Land Division	5,000 sf	Sec. 7.2.3			
Townhouse Condominium Subdivision	n/a	Sec. 7.2.4			
2. Residential Subdivision Requirements					
Schools and Parks Exaction					
Schools exaction	.020 acres per 1- or 2-family unit .015 acres per multi-family unit				
Parks exaction	9 acres per 1,000 resident				
3. Infrastructure					
Transportation Facilities (Div. 7.6.)					
Access	required				
Right-of-way for Minor Local Road (min)	60'				
Paved travel way for Minor Local Road (min)	20'				
Required Utilities (Div. 7.7.)					
Water	public				
Sewer	public				
4. Required Subdivision and Development Option Permits					
Option	Sketch Plan (Sec. 8.3.1.)	Development Plan (Sec. 8.3.2.)	Development Option Plan (Sec. 8.5.2.)	Subdivision Plat (Sec. 8.5.3.)	
Land Division					
≤ 10 Lots		X		X	
> 10 Lots	X	X		X	
Condominium/Townhouse				X	

E. Additional Zone-Specific Standards

1. Provision of Nonresidential, Nonlodging Parking

- a. **Applicability.** The following options for providing required parking shall apply to allowed uses except:
 - i. Lodging Uses (Sec. 6.1.5.); and
 - ii. Accessory Residential Unit (Sec. 6.1.11.).
- b. **Existing Parking Credits.** For properties with established parking credits per the Town Parking Credit Table (on reference with the Planning Department), the landowner may use such credits toward required parking. Credits are based on the amount of parking provided in 1988, as determined in 2005. Parking credits run with the land and are not transferable.
- c. **On-street Parking.** Required parking may be provided on-street provided the following standards are met.
 - i. An on-street parking space shall have the following length of uninterrupted curb adjoining to the lot of record of the use.

Uninterrupted Curb per On-street Parking Space	
Parking Space Angle	Uninterrupted Curb
Parallel	22'
45°/60°	18'
90°	9'

- ii. On-street parking shall not be provided along a red curb or other no-parking area put in place by the Town or WYDOT.
- iii. The on-street parking shall follow the established configuration of existing on-street parking.
- iv. On-street parking spaces shall be available for general public use at all times. No signs or actions limiting general public use of on-street spaces shall be permitted.
- d. **Fee-In-Lieu.** Required parking may be provided off-site through the Town's in-lieu fee program pursuant to the following standards.
 - i. **Fee.** The fee shall be a one-time fee commensurate with the cost of providing off-street parking and shall be used exclusively for such purpose. The Town Clerk shall accept fees in accordance with the parking fee schedule set forth by Resolution.
 - ii. **Assignment of Credits.** Parking credits purchased by fee-in-lieu run with the land and are not transferable.
 - iii. **Banking of Fee-in-Lieu Spaces.** Fee-in-lieu spaces may be purchased in advance and "banked" for future use.

2. **Loading Requirement.** Sufficient off-street loading facilities must be provided. The requirements of Sec. 6.2.2.E. are not applicable. The applicant must address how their specific loading needs are being met in the proposed application.
3. **Existing Floor Area Allowed.** Where the existing floor area on a site exceeds the allowed floor area ratio (FAR), the maximum allowed floor area shall be the lawfully existing floor area. The burden of establishing the amount of lawfully existing floor area shall be the responsibility of the landowner.